

**ΕΛΛΗΝΙΚΗ ΔΗΜΟΚΡΑΤΙΑ
ΥΠΟΥΡΓΕΙΟ ΥΓΕΙΑΣ**

4^η Υ.ΠΕ ΜΑΚΕΔΟΝΙΑΣ – ΘΡΑΚΗΣ
ΠΑΝΕΠΙΣΤΗΜΙΑΚΟ ΓΕΝΙΚΟ ΝΟΣΟΚΟΜΕΙΟ ΕΒΡΟΥ
ΦΟΡΕΑΣ Π.Γ.Ν. ΑΛΕΞΑΝΔΡΟΥΠΟΛΗΣ
ΔΙΕΥΘΥΝΣΗ ΔΙΟΙΚΗΤΙΚΗΣ ΥΠΗΡΕΣΙΑΣ
ΤΜΗΜΑ ΠΡΟΜΗΘΕΙΩΝ
Ταχ. Δ/ση : Περιοχή Δραγάνα
Πληροφ : Β.Μαργαρίτη
Τηλ.: 25513-53422 Φαξ.:25513-53420
e-mail : prosfores@pgna.gr

Αλεξανδρούπολη 06-03-2019

Αριθμός Πρωτοκόλλου: 5129

**Αριθμός Πρόσκλησης: Β145
ΑΝΑΡΤΗΤΕΑ ΣΤΟ ΔΙΑΔΙΚΤΥΟ
ΣΤΗ ΔΙΑΥΓΕΙΑ****ΠΡΟΣ:**
ΚΑΘΕ ΕΝΔΙΑΦΕΡΟΜΕΝΟ
ΠΡΟΜΗΘΕΥΤΗ

ΘΕΜΑ : « Πρόσκληση Υποβολής Προσφορών με αντικείμενο τη ετήσια συντήρηση ολοκληρωμένου πληροφοριακού συστήματος αρχειοθέτησης ιατρικών εικόνων (PACS) , ακτινολογικού πληροφοριακού συστήματος (RIS) και εξοπλισμού πληροφορικής του Π.Γ.Ν Έβρου - Νοσηλευτική μονάδα Αλεξ/πολης»

ΣΧΕΤ.: α. Το Ν. 4412/16 «Δημόσιες Συμβάσεις Έργων, Προμηθειών και Υπηρεσιών»
β. Το Π.Δ. 80/2016 «Ανάληψη Υποχρεώσεων από τους Διατάκτες» (ΦΕΚ 145/Α'/05-08-2016)
γ. Την υπ. αριθμ. Πρωτ. 1193/01-03-2019 απόφαση του Διοικητή του Π.Γ.Ν. Αλεξανδρούπολης με το οποίο εγκρίνεται η δημοσίευση πρόσκλησης υποβολής προσφορών.

Το ΠΓΝΕ – Φορέας Π.Γ.Ν. Αλεξ/πολης προκειμένου να προβεί στην ετήσια συντήρηση ολοκληρωμένου πληροφοριακού συστήματος αρχειοθέτησης ιατρικών εικόνων (PACS) , ακτινολογικού πληροφοριακού συστήματος (RIS) και εξοπλισμού πληροφορικής του Π.Γ.Ν Έβρου - Νοσηλευτική μονάδα Αλεξ/πολης , όπως αυτό περιγράφεται στον παρακάτω πίνακα, μετά από πρόσκληση υποβολής προσφορών, προσκαλεί κάθε ενδιαφερόμενο να καταθέσει προσφορά με **FAX 25513-53409 ή με e-mail στο prosfores@pgna.gr ή με κλειστό σφραγισμένο φάκελο .**

Κριτήριο κατακύρωσης: η πλέον συμφέρουσα από οικονομική άποψη προσφορά αποκλειστικά βάσει της προσφερόμενης τιμής (**χαμηλότερη τιμή**).

Προϋπολογισθείσα δαπάνη:20.000,00€ πλέον ΦΠΑ

Οι απαραίτητες Γενικές Τεχνικές Προδιαγραφές όπως αναλύονται παρακάτω, οι απαιτήσεις της Αναθέτουσας Αρχής και οι προϋποθέσεις που πρέπει να τηρούν όλοι οι διαγωνιζόμενοι έχουν ως ακολούθως:

Ημερομηνία Λήξης Υποβολής Προσφορών 18-03-2019, ημέρα **Δευτέρα** και ώρα **14:30μ.μ.**

Προς απόδειξη της μη συνδρομής των λόγων αποκλεισμού από της διαδικασίες σύναψης δημοσίων συμβάσεων των παρ.1 και 2 του άρθρου 73 του Ν.4412/16 , παρακαλούμε, μαζί με την προσφορά σας, να μας αποστείλετε, επί ποινή απόρριψης, τα κάτωθι δικαιολογητικά:

- α) Απόσπασμα ποινικού μητρώου. Η υποχρέωση αφορά κυρίως:**
- 1. Στις περιπτώσεις εταιριών Ε.Π.Ε. και προσωπικών εταιριών Ο.Ε. και Ε.Ε. τους διαχειριστές.**
 - 2. Στις περιπτώσεις εταιριών Α.Ε. τον Διευθύνοντα Σύμβουλο καθώς και όλα τα μέλη του Δ.Σ.**
- β) Φορολογική Ενημερότητα (εκτός είσπραξης)**
- γ) Ασφαλιστική Ενημερότητα (για συμμετοχή σε διαγωνισμούς)**
- δ) Γ.Ε.ΜΗ εκπροσώπησης**

ΤΕΧΝΙΚΕΣ ΠΡΟΔΙΑΓΡΑΦΕΣ PACS – RIS - BI

Εξοπλισμός/Λογισμικό	Όνομα	#	Σύμβαση***	Σκοπός
CD/DVD Robot	CD Robot Rimage 2000i	1	advanced	HW/SW
Hardware/software	Trolley PC	1	advanced	HW/SW
HP Proliant DL385p Gen8 Windows/AMD server	PACS/RIS FARM SERVER #1	1	advanced	HW/SW
	PACS/RIS FARM SERVER #2	1	advanced	HW/SW
	Hierarchical Storage Management	1	advanced	HW/SW
	BI SERVER	1	advanced	HW/SW
IMPAX PACS R6.X client software licenses only	Impax Client Licenses	1	advanced	SW
IMPAX PACS R6.X client workstation	2x5MP MAMO REVIEW STATION	1	advanced	HW/SW
	2x3MP XRays REVIEW STATION	1	advanced	HW/SW
	2x2MP REVIEW STATION	4	advanced	HW/SW
	RIS STATIONS	20	advanced	HW/SW
IMPAX RIS SW licenses	RIS client Licenses	1	advanced	SW
Speech products hardware	RIS speech accessories	1	advanced	HW/SW
Storageworks MSA2000 SAN	HP P2000 SAN STORAGE – HP Storage Works	1+	advanced	HW/SW
Storageworks MSL2024 Tape Library	38TB LTO5 - TAPE STORAGE HP MSL2024	1	advanced	HW/SW
Windows server software licenses only	PACS/RIS Core Licenses	1	advanced	SW

WH = hardware SW = software

advanced

- Hardware-Συντήρηση
- Software-Συντήρηση & Update (Patches, Updates)
- Απομακρυσμένη υποστήριξη - Υποστηρικτικές υπηρεσίες: ασφαλής απομακρυσμένη πρόσβαση, single point of contact, μέσω του Σύζευξης
- Επί τόπου υποστήριξη σε περίπτωση ανάγκης
- Ανταλλακτικά συμπεριλαμβάνονται.
- Υποστήριξη διασύνδεσης και ανταλλαγής μηνυμάτων βάσει προτύπου HL7.

ΠΑΡΑΡΤΗΜΑ Α

1. HP P2000 SAN STORAGE – HP Storage Works

Τύπος	Χαρακτηριστικά	Τεμάχια
HW	HP P2000 SAN Storage as follows (Enclosure1- 24 diskslots, Enclosure2 - 23 diskslots): Rack 42U 8x 450GB +2x600GB SAS HDD 10k rpm RAID10 + 1 HotSpare 9x 900GB + 1x1,2T SAS HDD 10k rpm RAID5 + 1 HotSpare 24x 1TB SAS HDD 7.2k rpm RAID5 + 1 HotSpare Total Gross Capacity : 41TB Total Net Capacity : 30TB Total Hard Disks of 900GB 10k rpm SAS 6G = 20 Total Hard Disks of 1TB 7.2k rpm SAS 6G = 25 Total Disk Groups SFF = 2	1HP P2000 1 HP Storage Works

WH = hardware

2. PACS/RIS FARM SERVER #1

Τύπος	Χαρακτηριστικά	Τεμάχια
HW	HP DL385 Gen8 8SFF Base with: 8SFF HDD bays, Smart Array P420i, 24 DIMM slots, 3x PCIe on 1st CPU, iLO Basic, FlexibleLOM	1
HW	HP 8GB 2Rx4 PC3L-10600R-9 Kit for Proliant Gen8 AMD based servers	4
HW	HP 2GB FBWC for P420i Smart Array in Gen8 servers.	1
HW	HP O6238 1st processor for DL385 Gen8 AMD Opteron™ 6238 (2.6GHz/12-core/16MB/115W) FIO Processor Kit	1
HW	HP 460W CS Power Supply Kit for Proliant Servers	2
HW	HP SATA DVD/RW for DL380 Gen8	1
HW	HP 4GB SD Flash Media kit	1
HW	HP Ethernet 1GbE 4Port 331FLR (FlexibleLOM) FIO Adptr for DL Gen8 servers	1
HW	HP DL385 Gen8 8SFF Europe ML Local Kit	1
SW	VMware vSphere 5.0 Software	1
LIC	HP StorageWorks 82E, 2 port 8Gb Fiber channel PCI-e HBA.	1
LIC	VMware vSphere Standard for 1 Processor 3yr 9x5 Support E-LTU VMware vSphere Standard includes a VRAM entitlement of 32GB per license.	1
LIC	HP Integrated Lights-Out Advanced Pack, No Media, 1-Server License, including 1 year of 24x7 Technical Support and Updates.	1

WH = hardware SW = software LIC = license

3. PACS/RIS FARM SERVER #2

Τύπος	Χαρακτηριστικά	Τεμάχια
HW	HP DL385 Gen8 8SFF Base with: 8SFF HDD bays, Smart Array P420i, 24 DIMM slots, 3x PCIe on 1st CPU, iLO Basic, FlexibleLOM	1
HW	HP 8GB 2Rx4 PC3L-10600R-9 Kit for Proliant Gen8 AMD based servers	4
HW	HP 2GB FBWC for P420i Smart Array in Gen8 servers.	1
HW	HP O6238 1st processor for DL385 Gen8 AMD Opteron™ 6238 (2.6GHz/12-core/16MB/115W) FIO Processor Kit	1
HW	HP 460W CS Power Supply Kit for Proliant Servers	2
HW	HP SATA DVD/RW for DL380 Gen8	1
HW	HP 4GB SD Flash Media kit	1
HW	HP Ethernet 1GbE 4Port 331FLR (FlexibleLOM) FIO Adptr for DL Gen8 servers	1
HW	HP DL385 Gen8 8SFF Europe ML Local Kit	1
SW	VMware vSphere 5.0 Software	1
LIC	HP StorageWorks 82E, 2 port 8Gb Fiber channel PCI-e HBA.	1
LIC	VMware vSphere Standard for 1 Processor 3yr 9x5 Support E-LTU VMware vSphere Standard includes a VRAM entitlement of 32GB per license.	1
LIC	HP Integrated Lights-Out Advanced Pack, No Media, 1-Server License, including 1 year of 24x7 Technical Support and Updates.	1

WH = hardware SW = software LIC = license

4. HIERARCHICAL STORAGE MANAGEMENT

Τύπος	Χαρακτηριστικά	Τεμάχια
HW	HP DL385 Gen8 8SFF Base with: 8SFF HDD bays, Smart Array P420i, 24 DIMM slots, 3x PCIe on 1st CPU, iLO Basic, FlexibleLOM	1
HW	HP 300GB 6G SAS 10K 2.5in SC ENT HDD for Proliant Gen8 servers	3
HW	HP Smart Array P222/512MB 6Gb PCIe Storage controller for Gen8 servers	1
HW	HP 2GB FBWC for P420i Smart Array in Gen8 servers.	1
HW	HP 460W CS Power Supply Kit for Proliant Servers	2
HW	HP O6212 1st processor for DL385 Gen8 AMD Opteron™ 6212 (2.6GHz/8-core/16MB/115W) FIO Processor Kit	1
HW	HP 4GB 1Rx4 PC3L-10600R-9 Kit for Proliant Gen8 AMD based servers	2
HW	HP SATA DVD/RW for DL380 Gen8	1
HW	HP Ethernet 1GbE 4Port 331FLR (FlexibleLOM) FIO Adptr for DL Gen8 servers	1
HW	HP DL385 Gen8 8SFF Europe ML Local Kit	1

LIC	Qstar HSM solution (including mirroring) for Windows and Tape jukeboxes upto 24 slots	1
LIC	HP MS W2008 5 ADDITIONAL DEVICE CALL PACK with downgrade to Windows 2003.	7
LIC	MS Windows Server 2008 R2 Standard Edition (32/64bit) with 5 CALs (ROK)	1
LIC	HP Integrated Lights-Out Advanced Pack, No Media, 1-Server license, including 1 year of 24x7 Technical Support and Updates.	1
LIC	Symantec PCAnywhere Host version 12.5 per Device Standard License	1
SRV-C	Symantec PCAnywhere Host version 12.5 per Device Initial Essential 36 Months UC	1

WH = hardware SW = software LIC = license SRVC = LIC Services

5. 38TB LTO5 - TAPE STORAGE HP MSL2024

Τύπος	Χαρακτηριστικά	Τεμάχια
CONS	HP LTO5 Non Custom Labeled RW Data cartridge 20 tapes. Capacity 1.5 TB to 3.0 TB compressed	1
HW	HP MSL2024Tape Library with 24 slots and 2x LTO-5 SAS drives (Ultrium 3000)	1
HW	HP SAS Cable 2M for connection of HBA P212 to MSL SAS Libs	1
HW	HP 1.83m 10A C13 Power Cord EUROPE (2 cables)	1
SRV-T	On site installation (counted per hour). Includes unwrapping, cabling, IP address change, network connection and basic configuration for the final technical acceptance test.	2

WH = hardware SW = software LIC = license SRVT = Services/time

6. UPS 5KVA

Τύπος	Χαρακτηριστικά	Τεμάχια
HW	HP R5KVA 3U IEC309-32A High Voltage Uninterruptible Power System with Extended Runtime Module, International version	1

WH =hardware

7. PACS/RIS Core Licenses

Τύπος	Χαρακτηριστικά	Τεμάχια
SW	IMPAX Results Viewer v1.0	1
SW	IMPAX Curator Server (ICS) software v6.5.3	1
SW	IMPAX Windows based core server software v6.5.3 (AS300).	1

SW	IMPAX Client Application Server (CAS) software v6.5.3	1
SW	IMPAX RIS Software Scheduling v6.4	1
SW	ORACLE Software version 11G	1
SW	ORACLE Software version 10G	1
SW	VMware vCenter Server 5.0 Server Softw	1
SW	IMPAX Connectivity Manager software v2.4	1
LIC	IMPAX 6 Workflow Manager Windows License	1
LIC	IMPAX RIS HL7 Order ORM Outbound Interface License	1
LIC	IMPAX RIS HL7 Order ORM Inbound Interface License	1
LIC	IMPAX RIS HL7 ADT Inbound Interface License	1
LIC	IMPAX 6 EPR Bridge License	1
LIC	HP Windows Server 2008 R2 Datacenter Edition 1 processor Reseller Option Kit	2
LIC	IMPAX 6 File Storage Module (FSM) Level 1 Windows License	1
LIC	IMPAX Database ESL Standard Edition 1 CPU License	2
LIC	VMware vCenter Server Foundation 3yr 9x5 Support E-LTU	1
LIC	Symantec PCAnywhere Host version 12.5 per Device Standard License	8
LIC	IMPAX Results Viewer License for 1 Concurrent User	1
LIC	IMPAX RIS HL7 IMPAX Interface License	1
SRV-T	IMPAX Connectivity Manager DICOM Modality Integration Service	13
SRV-C	Symantec PCAnywhere Host version 12.5 per Device Initial Essential 36 Months UC	8

SW = software LIC = license SRVT = Services/time SRVC = LIC Services

8. 2x5MP MAMO REVIEW STATION

Τύπος	Χαρακτηριστικά	Τεμάχια
HW	Barco Nio 5.8MP system. Dual head, dual feet and adapted MXRT5400 graphics board	1
HW	HP Z420 Base with: 600W Power supply, 16x DVDRW, USB optical mouse, CPU cooling kit.	1
HW	HP E5-1603 4C processor FIO for Z420	1
HW	HP COMPAQ LA1951g 19 LCD monitor, aspect ration 5:4, Resolution 1280 x 1024	1
HW	HP 4GB (2x2) DDR3-1600 MEM FIO for Z420	1
HW	HP 250GB 10K rpm SATA HD1 FIO for Z420	1
HW	HP Warranty 3/3/3 EMEA FIO for Z420	1
HW	HP USB Standard Keyboard Greek	1
HW	HP Simple Asset Tagging Service FIO Z420	1
HW	HP Localization Kit EMEA FIO for Z420	1
HW	HP Win7 64 Bit Image Recovery FIO Z420	1
HW	HP No Integrated graphics FIO for Z420	1
HW	HP Basic UNIT Asset Tag(SN&MAC) FIO Z420	1

HW	HP Basic BOX Asset Tag (SN&MAC) FIO Z420	1
LIC	HP Win7 Prof. 64bit OS EMEA FIO Z420	1
SRV-T	On site installation (counted per hour). Includes unwrapping, cabling, IP address change, network connection and basic configuration for the final technical acceptance test.	1

WH = hardware LIC = license SRVT = Services/time

9. 2x3MP XRays REVIEW STATION

Τύπος	Χαρακτηριστικά	Τεμάχια
HW	Barco Nio Color 3MP system. Dual head, dual feet and adapted MXRT5400 graphics board	1
HW	HP Z420 Base with: 600W Power supply, 16x DVDRW, USB optical mouse, CPU cooling kit.	1
HW	HP E5-1603 4C processor FIO for Z420	1
HW	Barco MXRT 2150 - Small form factor PCIe x16 display controller used to drive patient list monitor.	1
HW	HP COMPAQ LA1951g 19 LCD monitor, aspect ration 5:4, Resolution 1280 x 1024	1
HW	HP 4GB (2x2) DDR3-1600 MEM FIO for Z420	1
HW	HP 250GB 10K rpm SATA HD1 FIO for Z420	1
HW	DisplayPort to DVI Dual-Link Dongle	1
HW	HP Warranty 3/3/3 EMEA FIO for Z420	1
HW	HP USB Standard Keyboard Greek	1
HW	HP Simple Asset Tagging Service FIO Z420	1
HW	HP Win7 64 Bit Image Recovery FIO Z420	1
HW	HP Localization Kit EMEA FIO for Z420	1
HW	HP No Integrated graphics FIO for Z420	1
HW	HP Basic BOX Asset Tag (SN&MAC) FIO Z420	1
HW	HP Basic UNIT Asset Tag(SN&MAC) FIO Z420	1
LIC	HP Win7 Prof. 64bit OS EMEA FIO Z420	1
SRV-T	On site installation (counted per hour). Includes unwrapping, cabling, IP address change, network connection and basic configuration for the final technical acceptance test.	1

WH = hardware LIC = license SRVT = Services/time

10. 4 x 2x2MP REVIEW STATION-1

Τύπος	Χαρακτηριστικά	Τεμάχια
HW	Barco new generation Color Coronis 2MP system. Dual head, two feet and MXRT5400 display controller.	1
HW	HP Z420 Base with: 600W Power supply, 16x DVDRW, USB optical mouse, CPU cooling kit.	1
HW	HP E5-1603 4C processor FIO for Z420	1
HW	Barco MXRT 2150 - Small form factor PCIe x16 display controller used to drive patient list monitor.	1
HW	HP COMPAQ LA1951g 19 LCD monitor, aspect ration 5:4, Resolution 1280 x 1024	1
HW	HP 4GB (2x2) DDR3-1600 MEM FIO for Z420	1
HW	HP 250GB 10K rpm SATA HD1 FIO for Z420	1
HW	HP Warranty 3/3/3 EMEA FIO for Z420	1
HW	HP USB Standard Keyboard Greek	1
HW	HP Simple Asset Tagging Service FIO Z420	1
HW	HP Localization Kit EMEA FIO for Z420	1
HW	HP Win7 64 Bit Image Recovery FIO Z420	1
HW	HP No Integrated graphics FIO for Z420	1
HW	HP Basic BOX Asset Tag (SN&MAC) FIO Z420	1
HW	HP Basic UNIT Asset Tag(SN&MAC) FIO Z420	1
LIC	HP Win7 Prof. 64bit OS EMEA FIO Z420	1
SRV-T	On site installation (counted per hour). Includes unwrapping, cabling, IP address change, network connection and basic configuration for the final technical acceptance test.	1

WH = hardware LIC = license SRVT = Services/time

11. CD Robot Rimage 2000i

Τύπος	Χαρακτηριστικά	Τεμάχια
HW	The Rimage 2000i is a totally integrated disc publishing system that includes 2 recorders and 1 inkjet printer completely installed. 1x Bin for 100 CD in and 1x Bin for 100 CD out	1
LIC	QStar DICOM Publisher	1
SRV-T	On site installation (counted per hour). Includes unwrapping, cabling, IP address change, network connection and basic configuration for the final technical acceptance test.	4

12. RIS speech accessories

Τύπος	Χαρακτηριστικά	Τεμάχια
HW	Philips SpeechMike III PRO	7
HW	Philips transcription set USB	3

13. Impax Client Licenses

Τύπος	Χαρακτηριστικά	Τεμάχια
LIC	IMPAX 6 LIC Radiologist with QC License and MIP/MPR/3D rendering	6
LIC	IMPAX 6 Clinician License with MIP/MPR/3D rendering	12
LIC	IMPAX Breast Imaging with QC License with Mamo advanced Tools	1
LIC	IMPAX 6 Technologist License for Verifying exams and Quality Control	2
LIC	IMPAX 6 enterprise site license covering an unlimited number of enterprise concurrent users	1
LIC	IMPAX 6 Administrator License for 1 Concurrent User	2
LIC	IMPAX CLIN APPS Volume Viewing PLUS License for 1 Concurrent User	4

14. RIS Client Licenses

Τύπος	Χαρακτηριστικά	Τεμάχια
SW	IMPAX RIS Software Suite v5.8.1	1
LIC	RIS QDoc - licence	30
LIC	Nuance SpeechMagic - digital dictation license	10
LIC	IMPAX RIS Qspeech Digital Dictation Physician Concurrent User License	7
LIC	IMPAX RIS Qspeech Digital Dictation Transcription Concurrent User License	3
LIC	IMPAX RIS Whiteboard Viewing Concurrent User License	2
LIC	IMPAX RIS IPlan Usage Code License for 1 Concurrent User	5

15. 20 x RIS Clients Core i3

Τύπος	Χαρακτηριστικά	Τεμάχια
HW	HP Z220 CMT Base with 400W Power supply, 16x DVDRW, USB optical mouse	1
HW	HP i3-2120 processor 2C FIO for Z220	1
HW	HP COMPAQ LA1951g 19 LCD monitor, aspect ration 5:4, Resolution 1280 x 1024	1
HW	HP 4GB (2x2) DDR3-1600 MEM FIO for Z220	1

HW	HP 500GB 7200rpm SATA HD1 FIO for Z220	1
HW	HP Warranty 3/3/3 EMEA FIO for Z220 CMT	1
HW	HP USB Standard Keyboard Greek	1
HW	HP Simple Asset Tagging Service FIO Z220	1
HW	HP Z220 Localization Kit (EMEA)	1
HW	HP Win7 64 Bit Image Recovery FIO Z220	1
HW	HP Intel HD Graphics 2000 FIO for Z220	1
HW	HP Basic BOX Asset Tag (SN&MAC) FIO Z220	1
HW	HP Basic UNIT Asset Tag(SN&MAC) FIO Z220	1
LIC	HP Win7 Prof. 64bit OS EMEA FIO Z220	1
SRV-T	On site installation (counted per hour). Includes unwrapping, cabling, IP address change, network connection and basic configuration for the final technical acceptance test.	1

16. Trolley PC for Operating Theaters

Τύπος	Χαρακτηριστικά	Τεμάχια
HW	PENTA IP65 Medical PC with touch screen monitor for Operating Theaters.	1

17. Detailed Services

Τύπος	Χαρακτηριστικά
SRV-P	Υπηρεσίες Διαχείρισης Έργου PACS/RIS
SRV-P	Παραμετροποίηση PACS
SRV-P	Παραμετροποίηση RIS
SRV-P	Διασύνδεση με ΟΠΣΥ – εκπαίδευση κλινικών ιατρών για παραγγελίες εξετάσεων Ακτινολογικού Εργαστηρίου
SRV-P	Διασύνδεση Διαγνωστικών Μονάδων
SRV-P	Διασύνδεση Αποτελεσμάτων για τον Ιατρικό φάκελο
SRV-P	Εκπαίδευση χρηστών PACS/RIS

**Η Δ/ΝΤΡΙΑ ΔΙΟΙΚΗΤΙΚΗΣ
ΥΠΗΡΕΣΙΑΣ**

Ε.ΣΑΠΟΥΝΤΖΗ